

## Silver Seal™ Medical Grade Wireless Scroll Mouse

Model: SSM3W



Congratulations on taking the first step toward a cleaner and safer environment. Computer input devices such as keyboards and mice are a cross-contamination point for pathogens. Seal Shield is an important line of defense to help prevent infections and save lives. Seal Shield keyboards and mice are 100% waterproof, washable and include antimicrobial product protection\*.

Disinfect with bleach wipes, quaternary ammonia wipes, disinfectant sprays or whatever solution your standard cleaning protocol provides. Product can even be fully submersed in a bleach or disinfectant solution.

### Resistant Against:

Solvents	Salt Water	Water
Humidity	Abrasives	Disinfectants
Corrosives	Dirt	Dust
Shock	Alkaline	Sand
Bleach	Acid	Alcohol
Heat	Cold	Blood

**Silver Seal™**  
Antimicrobial Product Protection

After 24 Hours

Untreated Surface      Silver Seal Surface  
99.99% Reduction

This product is Silver Seal™ protected. It contains an antimicrobial, fungistatic agent which protects the product and keeps it cleaner, greener and fresher by inhibiting the growth of microbial bacteria, mold, mildew and fungi on the product's surface.

**DISHWASHER SAFE**

**100% WATERPROOF** + **ANTIMICROBIAL PRODUCT PROTECTION**

**SEAL SHIELD™**  
Prevent Infections. Save Lives.



Windows® and Mac® Compatible  
Mac® Compatibility requires OS X 10.5 or later.

Copyright© 2014, Seal Shield, LLC. All rights reserved. All other trademarks and trade names are those of their respective owners.

## Installation Instructions:

### Before You Begin:

Plug in the USB charging station and fully charge the mouse. The LED light on the charging station will turn from red to green when the mouse is fully charged.

Note: The internal rechargeable battery in the mouse should last several days between charges. The mouse should be returned to the charger every 2-3 days or when the LED light indicates that it needs to be charged, but should not be charged daily as this is unnecessary and may degrade the battery life.

### Connecting the Mouse to Your Computer:

Connect the charging base by inserting the USB connection wire to your computer (Figure A). This connection provides power to the base and connection for the 3-port hub in the base.



Install the Micro USB receiver (Figure B) into a USB port on the computer or into any of the USB ports on the charging station and wait for the device to Plug and Play. Your Seal Shield™ mouse is designed to use the default drivers on your computer, so no additional software is necessary.



## Installation Instructions:

### Turning the Mouse ON and OFF:

To turn the mouse ON, press the right button (when viewed from the bottom) and hold until the red light turns on. To turn the mouse OFF, press and hold the button until the red light turns off.



### Pairing the Mouse with the Computer:

If you have not already installed the Micro USB receiver please see the section called "Connecting the Mouse to your Computer" above. In most cases, the mouse will already be paired with the supplied receiver. If the mouse is not paired, or if you have replaced the receiver follow the steps below:

1. Insert the Micro USB receiver
2. Immediately press and hold the left button on the bottom of the mouse for 5 seconds (when viewed from the bottom)
3. The mouse and receiver should now be paired and operational



### Recharging the Mouse

When the mouse needs to be recharged, a red LED light underneath the scroll wheel will BLINK indicating that the mouse needs to be charged again.

Note: The internal rechargeable battery in the mouse should last several days between charges. The mouse should be returned to the charger every 2-3 days or when the LED light indicates that it needs to be charged, but should not be charged daily as this is unnecessary and may degrade the battery life.

## Recommended Cleaning Protocols:

Use Hospital Grade Disinfectant Sprays	
	The Seal Shield mouse is designed to work with virtually all medical grade, commercial grade, antibacterial, antiviral and antifungal sprays to kill most known surface contaminants including SARS, Influenza, Staph and MRSA. Testing confirms that this is the most effective cleaning protocol. Thoroughly spray all surface areas and between keys. Use as directed. Wipe away excess moisture prior to use.
Use Disinfectant Wipes	
	Alcohol based disinfectant wipes are the fastest and easiest way to disinfect your Seal Shield mouse. Thoroughly wipe all surface area with disinfectant wipes.
Hand Wash with Soap and Warm Water	
	Your Seal Shield mouse is washable and fully submersible.  <ol style="list-style-type: none"> <li>1. Soak the mouse in warm water using dish soap or other cleaning agent. Vigorously wash and rinse the mouse in order to insure thorough cleaning.</li> <li>2. Shake dry. Wipe away excess surface moisture.</li> <li>3. Begin using your wireless mouse again.</li> </ol>
Machine Wash in Dishwasher	
	Your Seal Shield mouse is designed to be washed in a dishwasher using standard automatic dishwasher detergent with water or heat settings not to exceed 140 degrees Fahrenheit.  <ol style="list-style-type: none"> <li>1. Place the mouse on top rack of dishwasher using dishwasher detergent and standard wash cycle. Disable "Heated Drying."</li> <li>2. Remove from dishwasher and shake dry. Wipe away excess surface moisture.</li> <li>3. Begin using your wireless mouse again.</li> </ol>

### IMPORTANT:

Do not wash Charging Base. The USB Charging Base and Micro USB receiver are not washable nor waterproof.

## Seal Shield™ Limited One (1) Year Warranty:

SEAL SHIELD™ hereby warrants to the initial purchaser that this product, if used under normal conditions, will be free of any defect in materials and workmanship for the life of the product. SEAL SHIELD™ shall have no obligation under this warranty or otherwise if:

Seal Shield, LLC ("Seal Shield") hereby provides a Limited One (1) Year Warranty ("Warranty Period") to the initial purchaser of this product ("Purchaser") that, if used under normal conditions, this product will be free of any defect in materials and workmanship for the Warranty Period of the product.

This warranty is the sole and exclusive warranty for this product and is in lieu of all other warranties, express or implied, including any warranty of merchantability or fitness for a particular purpose. The sole and exclusive remedies available to the initial purchaser for any defects in materials or workmanship shall be the obligation of Seal Shield, at its sole option, to either refund the purchase price of the product, or repair or replace the non-functioning or defective product, PROVIDED the Purchaser: (a) obtains a Return Authorization number ("RMA") from Seal Shield; (b) provides detailed information regarding the reason for the warranty claim; (c) product returns the product to Seal Shield, freight prepaid, if requested; and (d) provides proof and date of purchase. In the event of discontinuance or unavailability of the product, Seal Shield reserves the right to replace with a comparable product. Purchaser can obtain an RMA by contacting Seal Shield via [www.sealshield.com](http://www.sealshield.com) and completing the RMA form at the following link Product Support

Seal Shield shall have no obligation under this Warranty or otherwise if:

1. the product has been damaged by abuse, negligence, accident, misuse or involved in accidental or natural disasters;
2. the product has been damaged by improper cleaning or maintenance;
3. the product has been damaged by normal wear and tear;
4. the product has not been operated in accordance with its operating instructions; or
5. the product has modified, altered, or repaired by other than Seal Shield.

Seal Shield shall not be liable for any loss, injury or damages to persons or property resulting from the use of this product or any failure of or defect in this product, nor shall Seal Shield be liable to the initial user of this product or to any other person or entity for any general, special, direct, indirect, incidental, consequential, exemplary, punitive, or other damages of any kind or nature whatsoever, including, but not limited to, damages for loss of data, profits or goodwill. Products which have been subject to abuse such as, misuse, vandalism, accident, alteration, neglect, unauthorized repair or improper installation will not be covered by the warranty. Seal Shield is not responsible for damage that occurs as a result of your failure to follow instructions intended for the product.

## FCC Compliance:

This equipment has been tested and found to comply with the limits for a Class C digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. There is no guarantee, however, that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- 1) Reorient or relocate the receiving antenna.
- 2) Increase the separation between the equipment and receiver.
- 3) Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Properly shielded and grounded cables and connectors must be used in order to meet FCC emission limits. Seal Shield, LLC, is not responsible for any radio or television interference caused by using other than recommended cables and connectors or by unauthorized changes or modifications to this equipment. Unauthorized changes or modifications could void the limited warranty.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

CAUTION: Changes or modification not expressly approved by the manufacturer will void this warranty.